

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### SECTION 1. IDENTIFICATION

Product name : Dichlofenthion Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Skin corrosion : Category 1  
Serious eye damage : Category 1  
Skin sensitization : Category 1  
Germ cell mutagenicity : Category 2  
Carcinogenicity (Oral) : Category 1A  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (Nervous system)  
- single exposure  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 1 (Nervous system)  
- repeated exposure  
Specific target organ toxicity : Category 2 (Central nervous system, Kidney, Liver, Skin, Res-  
- repeated exposure piratory Tract, Auditory system)  
Aspiration hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H226 Flammable liquid and vapor.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer if swallowed.  
H361d Suspected of damaging the unborn child.  
H370 Causes damage to organs (Nervous system).  
H372 Causes damage to organs (Nervous system) through prolonged or repeated exposure.  
H373 May cause damage to organs (Central nervous system, Kidney, Liver, Skin, Respiratory Tract, Auditory system) through prolonged or repeated exposure.

Precautionary Statements

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P308 + P311 IF exposed or concerned: Call a doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical atten-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

tion.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Tar, wood	No data available	91722-33-7	$\geq 10 - < 30$ *
Rosin	No data available	8050-09-7	$\geq 10 - < 30$ *
Tar, coal	No data available	8007-45-2	$\geq 10 - < 30$ *
Ethylbenzene	Benzene, ethyl-	100-41-4	$\geq 5 - < 10$ *
Xylene	Benzene, dimethyl-	1330-20-7	$\geq 5 - < 10$ *
Dichlofenthion (ISO)	No data available	97-17-6	$\geq 1 - < 5$ *
Sodium hydroxide	Caustic soda	1310-73-2	$\geq 2 - < 5$ *
Phenol	Monohydroxybenzene	108-95-2	$\geq 1 - < 3$ *
m-Cresol	Phenol, 3-methyl-	108-39-4	$\geq 1 - < 5$ *
p-Cresol	Phenol, 4-methyl-	106-44-5	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

- for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May be fatal if swallowed and enters airways.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause respiratory irritation.  
Suspected of causing genetic defects.  
May cause cancer if swallowed.  
Suspected of damaging the unborn child.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.  
Causes severe burns.  
Causes digestive tract burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors.  
Do not swallow.

---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

- Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Keep away from heat and sources of ignition.  
Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Rosin	8050-09-7	TWA (Inhalable particulate matter)	0.001 mg/m <sup>3</sup> (total Resin acids)	ACGIH
Tar, coal	8007-45-2	TWA	0.15 mg/m <sup>3</sup>	CA ON OEL
Ethylbenzene	100-41-4	STEL	125 ppm 543 mg/m <sup>3</sup>	CA AB OEL
		TWA	100 ppm 434 mg/m <sup>3</sup>	CA AB OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
 Date of first issue: 04/14/2017

		TWA	20 ppm	CA BC OEL
		TWAEV	20 ppm	CA QC OEL
		TWA	20 ppm	ACGIH
Xylene	1330-20-7	TWA	100 ppm 434 mg/m <sup>3</sup>	CA AB OEL
		STEL	150 ppm 651 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	100 ppm 434 mg/m <sup>3</sup>	CA QC OEL
		STEV	150 ppm 651 mg/m <sup>3</sup>	CA QC OEL
		TWA	100 ppm	CA BC OEL
		STEL	150 ppm	CA BC OEL
		TWA	20 ppm	ACGIH
Dichlofenthion (ISO)	97-17-6	TWA	20 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
Sodium hydroxide	1310-73-2	(c)	2 mg/m <sup>3</sup>	CA AB OEL
		C	2 mg/m <sup>3</sup>	CA BC OEL
		C	2 mg/m <sup>3</sup>	CA QC OEL
		C	2 mg/m <sup>3</sup>	ACGIH
Phenol	108-95-2	TWA	5 ppm 19 mg/m <sup>3</sup>	CA AB OEL
		TWA	5 ppm	CA BC OEL
		TWAEV	5 ppm 19 mg/m <sup>3</sup>	CA QC OEL
		TWA	5 ppm	ACGIH
m-Cresol	108-39-4	TWA	5 ppm 22 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (inhalable fraction and vapour)	20 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable fraction and vapor)	20 mg/m <sup>3</sup>	ACGIH
p-Cresol	106-44-5	TWA	5 ppm 22 mg/m <sup>3</sup>	CA AB OEL
		TWAEV (inhalable fraction and vapour)	20 mg/m <sup>3</sup>	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable fraction and vapor)	20 mg/m <sup>3</sup>	ACGIH

## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Phenol	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g creatinine	ACGIH BEI
Xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g creatinine	ACGIH BEI
Ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift (As soon as possible after exposure ceases)	150 mg/g creatinine	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : viscous liquid

**Color** : dark, brown

**Odor** : strong

**Odor Threshold** : No data available

**pH** : Not applicable

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : 30 °C

**Evaporation rate** : No data available

**Flammability (solid, gas)** : Not applicable

**Flammability (liquids)** : Not applicable

**Upper explosion limit / Upper flammability limit** : No data available

**Lower explosion limit / Lower flammability limit** : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,009 - 1,051 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### **Product:**

- Acute oral toxicity : Acute toxicity estimate: 1,450 mg/kg  
Method: Calculation method
- Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### **Components:**

#### **Tar, wood:**

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity

#### **Rosin:**

- Acute oral toxicity : LD50 (Rat): 2,800 mg/kg
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Tar, coal:**

- Acute oral toxicity : LD50 (Rat): 1,700 mg/kg
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

#### **Ethylbenzene:**

- Acute oral toxicity : LD50 (Rat): 3,500 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 17.8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

#### **Xylene:**

- Acute oral toxicity : LD50 (Rat): 3,523 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.
- Acute inhalation toxicity : LC50 (Rat): 27.571 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Acute dermal toxicity : LD50 (Rabbit): > 4,200 mg/kg

### Dichlofenthion (ISO):

Acute oral toxicity : LD50 (Rat): 172 mg/kg

LD50 (Rat): 270 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.75 mg/l

Acute dermal toxicity : LD50 (Rat): 355 mg/kg

LD50 (Rabbit): 6,000 mg/kg

### Sodium hydroxide:

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

### Phenol:

Acute oral toxicity : LD50 (Rat): 650 mg/kg  
Method: OECD Test Guideline 401

Acute toxicity estimate (Humans): 140 - 290 mg/kg  
Method: Expert judgment

Acute inhalation toxicity : LC0 (Rat): 0.9 mg/l  
Exposure time: 8 h  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.

Acute toxicity estimate (Humans): > 0.9 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 660 mg/kg  
Method: OECD Test Guideline 402

Acute toxicity estimate (Humans): 300 mg/kg  
Method: Expert judgment

### m-Cresol:

Acute oral toxicity : LD50 (Rat): 121 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 301 mg/kg  
Remarks: Based on data from similar materials

### p-Cresol:

Acute oral toxicity : LD50 (Rat): 172 - 250 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 213 - 426 mg/kg

### **Skin corrosion/irritation**

Causes severe burns.

#### **Components:**

##### **Tar, wood:**

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 439

Species : reconstructed human epidermis (RhE)  
Method : OECD Test Guideline 431

Result : Skin irritation

##### **Rosin:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Tar, coal:**

Species : Rabbit  
Result : Mild skin irritation

##### **Xylene:**

Species : Rabbit  
Result : Skin irritation

##### **Dichlofenthion (ISO):**

Result : Mild skin irritation  
Remarks : Based on data from similar materials

##### **Sodium hydroxide:**

Result : Corrosive after 3 minutes or less of exposure

##### **Phenol:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### **m-Cresol:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

##### **p-Cresol:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### **Tar, wood:**

Result : Irritation to eyes, reversing within 7 days

##### **Rosin:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

##### **Tar, coal:**

Species : Human  
Result : Irreversible effects on the eye

##### **Xylene:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

##### **Sodium hydroxide:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

##### **Phenol:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

##### **m-Cresol:**

Species : Rabbit  
Result : Irreversible effects on the eye

##### **p-Cresol:**

Species : Rabbit  
Result : Irreversible effects on the eye

### Respiratory or skin sensitization

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### **Components:**

#### **Tar, wood:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive  
  
Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

#### **Rosin:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

#### **Tar, coal:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : positive  
Remarks : Based on data from similar materials  
  
Assessment : Probability or evidence of skin sensitization in humans

#### **Xylene:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : negative

#### **Dichlofenthion (ISO):**

Routes of exposure : Dermal  
Assessment : Does not cause skin sensitization.  
Result : Weak sensitizer  
Remarks : Based on data from similar materials

#### **Sodium hydroxide:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Result : negative

#### **Phenol:**

Test Type : Buehler Test  
Routes of exposure : Skin contact

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### **p-Cresol:**

Test Type : Draize Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### **Components:**

#### **Tar, wood:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### **Rosin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

#### **Tar, coal:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo non-mammalian somatic cell mutagenicity tests, supported by positive results from in vitro mutagenicity assays.  
Remarks: Based on national or regional regulation.

#### **Ethylbenzene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

- Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Result: negative
- Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Mouse  
Application Route: Inhalation  
Method: OECD Test Guideline 486  
Result: negative
- Xylene:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative
- Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Skin contact  
Result: negative
- Phenol:**
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: positive  
Remarks: Annex VI From 1272/2008
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.
- m-Cresol:**
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive
- Test Type: Bacterial reverse mutation assay (AMES)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative

### **p-Cresol:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 478  
Result: negative

### **Carcinogenicity**

May cause cancer if swallowed.

### **Components:**

#### **Tar, coal:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Positive evidence from human epidemiological studies (oral)  
Remarks: Based on national or regional regulation.

#### **Ethylbenzene:**

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.

#### **Xylene:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Result : negative

### Phenol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### m-Cresol:

Species : Mouse, males  
Application Route : Ingestion  
Exposure time : 105 weeks  
Result : equivocal  
Remarks : Based on data from similar materials

Species : Mouse, female  
Application Route : Ingestion  
Exposure time : 106 - 107 weeks  
Result : positive  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### p-Cresol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 106 - 107 weeks  
Result : negative  
Remarks : Based on data from similar materials

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Rosin:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### Ethylbenzene:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 414  
Result: negative

### Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

### Dichlofenthion (ISO):

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 80 mg/kg body weight  
Result: Reduced fetal weight., Embryotoxic effects.  
Remarks: Based on data from similar materials

Test Type: Development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Reduced fetal weight., Embryotoxic effects., No teratogenic effects.  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### Phenol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Mouse

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### **m-Cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Prenatal development toxicity study (teratogenicity)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **p-Cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT-single exposure**

May cause respiratory irritation.  
Causes damage to organs (Nervous system).

### **Components:**

#### **Tar, coal:**

Routes of exposure : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

#### **Xylene:**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Causes damage to organs (Nervous system) through prolonged or repeated exposure.  
May cause damage to organs (Central nervous system, Kidney, Liver, Skin, Respiratory Tract, Auditory system) through prolonged or repeated exposure.

### **Components:**

#### **Tar, coal:**

Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at con-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

centrations of >0.02 to 0.2 mg/l/6h/d.

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Respiratory Tract  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

### Ethylbenzene:

Routes of exposure : inhalation (vapor)  
Target Organs : Auditory system  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

### Xylene:

Routes of exposure : inhalation (vapor)  
Target Organs : Auditory system  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

### Dichlofenthion (ISO):

Target Organs : Nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

### Phenol:

Target Organs : Central nervous system, Kidney, Liver, Skin  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### Rosin:

Species : Rat, male  
NOAEL : 335 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

##### Ethylbenzene:

Species : Rat  
LOAEL : 0.868 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 75 mg/kg  
LOAEL : 250 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Application Route : Ingestion  
Method : OECD Test Guideline 408

### **Xylene:**

Species : Rat  
LOAEL : > 0.2 - 1 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : 150 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### **Dichlofenthion (ISO):**

Species : Rat  
NOAEL : 0.75 mg/kg  
Application Route : Oral  
Exposure time : 90 d

Species : Dog  
NOAEL : 0.75 mg/kg  
Application Route : Oral  
Exposure time : 90 d

### **Phenol:**

Species : Rat  
LOAEL : 300 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL :  $\geq 0.1$  mg/l  
Application Route : inhalation (vapor)  
Exposure time : 74 Days

Species : Rabbit  
LOAEL : 260 mg/kg  
Application Route : Skin contact  
Exposure time : 18 Days

### **m-Cresol:**

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Method : OECD Test Guideline 408

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

### **p-Cresol:**

Species	: Rat
NOAEL	: 50 mg/kg
LOAEL	: 175 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **Components:**

#### **Ethylbenzene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **Experience with human exposure**

### **Components:**

#### **Dichlofenthion (ISO):**

Skin contact	: Symptoms: irritating, central nervous system effects, sweating Remarks: Can be absorbed through skin. May cause sensitization by skin contact.
Eye contact	: Symptoms: constriction of pupils, central nervous system effects
Ingestion	: Symptoms: Nausea, Diarrhea, Vomiting, sweating, Lachrymation, constriction of pupils, Central nervous system depression, Gastrointestinal disturbance, bronchospasm, central nervous system effects, Edema

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

#### **Tar, wood:**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 28 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 17 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 14 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Rosin:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 1 - 10 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 911 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Raphidocelis subcapitata (freshwater green alga)): > 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR (Raphidocelis subcapitata (freshwater green alga)): 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Tar, coal:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 250 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 2.8 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): 36 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Remarks: Based on data from similar materials

NOELR (Desmodesmus subspicatus (green algae)): 5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

### Ethylbenzene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 - 2.4 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.6 mg/l  
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 3.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.96 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : EC50 (Nitrosomonas sp.): 96 mg/l  
Exposure time: 24 h

### Xylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 10 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l  
Exposure time: 35 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC: > 100 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### Dichlofenthion (ISO):

Toxicity to fish : LC50 (No species specified): 0.64 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 1.23 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0011 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

### Phenol:

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 24.9 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): 3.1 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (*Selenastrum capricornutum* (green algae)): 61.1 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.077 mg/l  
Exposure time: 60 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 10 mg/l  
Exposure time: 16 d

Toxicity to microorganisms : IC50 (*Nitrosomonas* sp.): 21 mg/l  
Exposure time: 24 h

### m-Cresol:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 8.6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia pulex* (Water flea)): > 99.5 mg/l  
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 1.35 mg/l  
Exposure time: 32 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### **p-Cresol:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.4 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l  
Exposure time: 48 h  
Method: DIN 38412
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 7.8 mg/l  
Exposure time: 48 h
- EC10 (Desmodesmus subspicatus (green algae)): 2.3 mg/l  
Exposure time: 48 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1.35 mg/l  
Exposure time: 32 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : IC50 (Nitrosomonas sp.): 260 mg/l  
Exposure time: 24 h

### **Persistence and degradability**

#### **Components:**

##### **Tar, wood:**

- Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 47 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **Rosin:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

##### **Ethylbenzene:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 - 80 %  
Exposure time: 28 d

##### **Xylene:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version 9.1      Revision Date: 09/28/2024      SDS Number: 1552609-00016      Date of last issue: 09/30/2023  
Date of first issue: 04/14/2017

---

### Phenol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 62 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301C

### m-Cresol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### p-Cresol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 8 d

### Bioaccumulative potential

#### Components:

#### Tar, wood:

Partition coefficient: n-octanol/water : log Pow: 0.2 - 2.02

#### Rosin:

Partition coefficient: n-octanol/water : log Pow: > 3 - 6.2  
Method: OECD Test Guideline 117

#### Tar, coal:

Partition coefficient: n-octanol/water : Remarks: No data available

#### Ethylbenzene:

Partition coefficient: n-octanol/water : log Pow: 3.6

#### Xylene:

Partition coefficient: n-octanol/water : log Pow: 3.16  
Remarks: Calculation

#### Dichlofenthion (ISO):

Partition coefficient: n-octanol/water : log Pow: 5.14

#### Phenol:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 17.5  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.47

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

octanol/water

### m-Cresol:

Bioaccumulation : Species: Leuciscus idus (Golden orfe)  
Bioconcentration factor (BCF): 17 - 20

Partition coefficient: n-octanol/water : log Pow: 1.96

### p-Cresol:

Bioaccumulation : Species: Leuciscus idus (Golden orfe)  
Bioconcentration factor (BCF): 17 - 20  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 1.94

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 2920  
Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
(Sodium hydroxide, Ethylbenzene)

Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : 8 (3)  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 2920  
Proper shipping name : Corrosive liquid, flammable, n.o.s.  
(Sodium hydroxide, Ethylbenzene)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : Corrosive, Flammable Liquids  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 2920  
Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
(Sodium hydroxide, Ethylbenzene, Dichlofenthion (ISO))  
Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : 8 (3)  
EmS Code : F-E, S-C  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 2920  
Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
(Sodium hydroxide, Ethylbenzene)  
Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : 8 (3)  
ERG Code : 132  
Marine pollutant : yes(Dichlofenthion (ISO))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / C	:	Ceiling limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA BC OEL / C	:	ceiling limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value
CA QC OEL / C	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Dichlofenthion Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
9.1	09/28/2024	1552609-00016	Date of first issue: 04/14/2017

---

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8