according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

#### **SECTION 1. IDENTIFICATION**

Product name : Gentamicin / Betamethasone Formulation

Other means of identification : No data available

### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 1A

Specific target organ toxicity

- repeated exposure

Category 1 (Pituitary gland, Immune system, muscle, thymus

gland, Blood, Adrenal gland)

#### **GHS** label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.

H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through pro-

longed or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 434583-00021 Date of first issue: 01/06/2016 6.9

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Components

Chemical name	Common	CAS-No.	Concentration (% w/w)
	Name/Synonym		
Polyethylene glycol stearate	Ethoxylated stearic acid	9004-99-3	5
Gentamicin	No data availa- ble	1403-66-3	0.49
Betamethasone	No data availa- ble	378-44-9	0.1

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection, Protection of first-aiders

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 434583-00021 Date of first issue: 01/06/2016 6.9

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical None known.

Carbon oxides

Unsuitable extinguishing

media

Specific hazards during fire

fighting

Hazardous combustion prod: :

ucts

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Polyethylene glycol stearate	9004-99-3	TWA	10 mg/m <sup>3</sup>	CA AB OEL	
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL	
		TWA (Inhal- able)	10 mg/m³	CA BC OEL	
		TWA (Res- pirable)	3 mg/m³	CA BC OEL	
		TWA (Inhalable particulate matter)	10 mg/m³	ACGIH	
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH	
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
	Further information: OTO				
Betamethasone	378-44-9	TWA	1 μg/m3 (OEB 4)	Internal	
Further information: Skin					

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

| Wipe limit | 10 μg/100 cm² | Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not

exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : Oxidizing agents

No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Polyethylene glycol stearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

according to the Hazardous Products Regulations



# **Gentamicin / Betamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l

Exposure time: 4 h

### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

#### Gentamicin:

Species : Rabbit

Result : Mild skin irritation

### Betamethasone:

Species : Rabbit

Result : Mild skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Components:

## Polyethylene glycol stearate:

Species : Rabbit

Result : No eye irritation Method : Draize Test

### Gentamicin:

Species : Rabbit

Result : Mild eye irritation

#### Betamethasone:

Species : Rabbit

Result : No eye irritation

#### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

### Components:

Polyethylene glycol stearate:

Test Type : Open epicutaneous test

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Gentamicin:

Remarks : No data available

Betamethasone:

Routes of exposure : Dermal
Species : Guinea pig
Result : Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

Betamethasone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

according to the Hazardous Products Regulations



# **Gentamicin / Betamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

Species: Mouse Application Route: Oral Result: equivocal

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Gentamicin:

Carcinogenicity - Assess-

ment

No data available

Reproductive toxicity

May damage the unborn child.

**Components:** 

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3.6 mg/kg body weight

Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

Betamethasone:

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

Effects on fetal development : Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 0.05 mg/kg body weight Result: Fetotoxicity., Malformations were observed.

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.42 mg/kg body weight

Result: Malformations were observed.

Species: Mouse

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Malformations were observed.

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

### **Components:**

#### Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood,

Adrenal gland

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### Components:

### Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks

Target Organs : Kidney, Blood

Species : Rat

NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

Betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d

Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog

LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 28 d

Target Organs : Blood, thymus gland, Adrenal gland

### **Aspiration toxicity**

Not classified based on available information.

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

#### **Experience with human exposure**

**Components:** 

Gentamicin:

Ingestion : Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness

Betamethasone:

Inhalation : Target Organs: Adrenal gland

Skin contact : Symptoms: Redness, pruritis, Irritation

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l

Exposure time: 16 h

Gentamicin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 434583-00021 Date of first issue: 01/06/2016 6.9

Toxicity to microorganisms EC50: 288.7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Betamethasone:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): > 50 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 34

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 34

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l

Exposure time: 219 d

Method: OECD Test Guideline 229

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 8 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

**Components:** 

Polyethylene glycol stearate:

Biodegradability Result: Readily biodegradable.

> Biodegradation: > 70 % Exposure time: 10 d

Method: OECD Test Guideline 302B

Gentamicin:

Biodegradability Result: rapidly degradable

> Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

according to the Hazardous Products Regulations



# **Gentamicin / Betamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

### **Bioaccumulative potential**

**Components:** 

Gentamicin:

Partition coefficient: n-

octanol/water

log Pow: < -2

Betamethasone:

Partition coefficient: n-

octanol/water

log Pow: 2.11

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin, Benzalkonium chloride)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Gentamicin, Benzalkonium chloride)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

964

964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

15 / 18

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin, Benzalkonium chloride)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**TDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin, Benzalkonium chloride)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Gentamicin, Benzalkonium chloride)

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average

according to the Hazardous Products Regulations



### Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

CA AB OEL / TWA : 8-hour Occupational exposure limit CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to the Hazardous Products Regulations



# **Gentamicin / Betamethasone Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 6.9 09/30/2023 434583-00021 Date of first issue: 01/06/2016

CA / Z8