according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

SECTION 1. IDENTIFICATION

Product name : Ketamine (10%) Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2B

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

(Dermal)

Category 2 (Kidney, Liver, Brain)

GHS label elements

Hazard pictograms :





Signal Word : Warning

Hazard Statements : H315 + H320 Causes skin and eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P332 + P313 If skin irritation occurs: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 10 - < 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Rinse mouth thoroughly with water. Causes skin and eye irritation.

Most important symptoms and effects, both acute and

d effects, both acute and Suspected of damaging the unborn child.

delayed

May cause damage to organs through prolonged or repeated

exposure in contact with skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ketamine hydrochloride	1867-66-9	TWA	10 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 μg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices

containment devices). Minimize open handling.

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air

supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : Can react with strong oxidizing agents.

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 4,470 mg/kg

Method: Calculation method

Components:

Ketamine hydrochloride:

Acute oral toxicity : LD50 (Rat): 447 mg/kg

LD50 (Mouse): 617 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 59 mg/kg

Application Route: Intravenous

LD50 (Mouse): 59 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 356 mg/kg Application Route: Intramuscular

LD50 (Guinea pig): 361 mg/kg Application Route: Intramuscular

LD50 (Rat): 224 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

Components:

Ketamine hydrochloride:

Species : Rabbit Result : irritating

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Ketamine hydrochloride:

Species : Rabbit Result : irritating

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Ketamine hydrochloride:

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Target Organs: Kidney, Liver, Heart Result: No teratogenic effects.

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 20 mg/kg body weight

Symptoms: Skeletal and visceral variations. Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Rat

Application Route: Intramuscular

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Symptoms: Skeletal and visceral variations. Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 60 mg/kg body weight

Symptoms: Skeletal and visceral variations. Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Monkey

Application Route: Intramuscular

Target Organs: Brain

Result: Effects on prenatal and postnatal growth.

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Components:

Ketamine hydrochloride:

Routes of exposure : Skin contact Target Organs : Kidney, Liver, Brain

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Ketamine hydrochloride:

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 3 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

Species : Mouse LOAEL : 30 mg/kg

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Application Route : Intraperitoneal Exposure time : 28 Weeks Target Organs : Kidney

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 30 Days
Target Organs : Brain, Liver

Remarks : Significant toxicity observed in testing

Species : Monkey
LOAEL : 1 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months
Target Organs : Brain

Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ketamine hydrochloride:

Ingestion : Symptoms: The most common side effects are:, central nerv-

ous system effects, hypertension, Dizziness, Headache, Nau-

sea, Drowsiness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ketamine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Ketamine hydrochloride:

Partition coefficient: n-

octanol/water

log Pow: 2.18

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5 Ketamine hydrochloride 1867-66-9

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

according to the OSHA Hazard Communication Standard



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.8 09/30/2023 3976797-00009 Date of first issue: 02/14/2019

tem; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8