according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023

 8.10
 09/30/2023
 28824-00023
 Date of first issue: 11/06/2014

#### **SECTION 1. IDENTIFICATION**

Product name : Timolol / Dorzolamide Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Pharmaceutical Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 1 (Cardio-vascular system, Central nervous system,

Gastrointestinal tract, Lungs)

**GHS** label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H361d Suspected of damaging the unborn child.

H372 Causes damage to organs (Cardio-vascular system, Central nervous system, Gastrointestinal tract, Lungs) through pro-

longed or repeated exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 28824-00023 Date of first issue: 11/06/2014 8.10

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Dorzolamide	130693-82-2	>= 1 - < 5
(S)-3-[3-(tert-butylamino)-2-	26921-17-5	>= 0.1 - < 1
hydroxypropoxy]-4-morpholino-1,2,5-		
thiadiazole monomaleate		

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Suspected of damaging the unborn child.

Most important symptoms and effects, both acute and delayed

In case of eye contact

Causes damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection. Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

### **SECTION 5. FIRE-FIGHTING MEASURES**

according to the OSHA Hazard Communication Standard



# Timolol / Dorzolamide Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 28824-00023 Date of first issue: 11/06/2014 8.10

Water spray Suitable extinguishing media

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides Hydrogen chloride

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Dorzolamide	130693-82-2	TWA	10 μg/m3 (OEB 3)	Internal	
	Further information: Eye				
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal	
(S)-3-[3-(tert-butylamino)-2- hydroxypropoxy]-4- morpholino-1,2,5-thiadiazole monomaleate	26921-17-5	TWA	10 μg/m3 (OEB 3)	Internal	
	Further information: Eye, Skin				
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : colorless

Odor : No data available

Odor Threshold : No data available

pH : 5.6

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

range

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.02

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.

according to the OSHA Hazard Communication Standard



# Timolol / Dorzolamide Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

# **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

**Components:** 

**Dorzolamide:** 

Acute oral toxicity : LD50 (Rat): 1,927 mg/kg

LD50 (Mouse): 1,320 mg/kg

Remarks: No data available Acute inhalation toxicity

Acute dermal toxicity Remarks: No data available

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Acute oral toxicity : LD50 (Rat): 1,000 mg/kg

LD50 (Mouse): 1,140 mg/kg

Acute toxicity (other routes of :

LD50 (Mouse): 300 mg/kg

administration)

Application Route: Intraperitoneal

LD50 (Mouse): 800 mg/kg

Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

**Species** Rabbit Method **Draize Test** Result No skin irritation

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

# Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

### Dorzolamide:

Species : Monkey

Result : Mild eye irritation

### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Species : Rabbit

Result : Mild eye irritation

Species : Dog

Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### **Components:**

## Dorzolamide:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : Weak sensitizer

# Germ cell mutagenicity

Not classified based on available information.

### Components:

# Dorzolamide:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: negative

Test Type: Alkaline elution assay Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

according to the OSHA Hazard Communication Standard



# Timolol / Dorzolamide Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

> Species: Mouse Result: negative

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo Test Type: In vivo micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

**Dorzolamide:** 

Species Rat. male **Application Route** Oral Exposure time 2 Years

20 mg/kg body weight

Result negative

Remarks The mechanism or mode of action may not be relevant in hu-

mans.

**Species** Mouse **Application Route** Oral

Exposure time 21 month(s) Result negative

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

**Species** Rat **Application Route** Oral Exposure time 2 Years

LOAEL 300 mg/kg body weight

Result negative **Target Organs** Adrenal gland

Remarks The significance of these findings for humans is not certain.

Mouse, female Species

Application Route Oral Exposure time 18 Months

LOAEL 500 mg/kg body weight

Result negative

**Target Organs** Lungs, Mammary gland, Uterus (including cervix)

Remarks The significance of these findings for humans is not certain.

Carcinogenicity - Assess-

Weight of evidence does not support classification as a car-

ment cinogen

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023

 8.10
 09/30/2023
 28824-00023
 Date of first issue: 11/06/2014

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### **Dorzolamide:**

Effects on fertility : Test Type: Fertility

Species: Rat, male and female

Application Route: Oral

Fertility: NOAEL: 7.5 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Oral

Fertility: NOAEL Mating/Fertility: 150 mg/kg body weight Early Embryonic Development: NOAEL F1: 150 mg/kg body

weight

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Developmental Toxicity: LOAEL F1: 50 mg/kg body weight Result: Some evidence of adverse effects on development,

based on animal experiments.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Cardio-vascular system, Central nervous system, Gastrointestinal tract, Lungs) through prolonged or repeated exposure.

**Product:** 

Target Organs : Cardio-vascular system, Central nervous system, Gastrointes-

tinal tract, Lungs

Assessment : Causes damage to organs through prolonged or repeated

exposure.

**Components:** 

Dorzolamide:

Target Organs : Central nervous system, Gastrointestinal tract, Bone, Blood,

Bladder

Assessment : May cause damage to organs through prolonged or repeated

exposure.

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Target Organs : Lungs, Cardio-vascular system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Dorzolamide:

Species : Rat

NOAEL : 0.05 mg/kg

Application Route : Oral

Target Organs : Bladder, Kidney

Species : Dog

NOAEL : 0.05 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 y

Target Organs : Gastrointestinal tract, Bone, Blood

Species : Monkey NOAEL : 0.05 mg/kg

Exposure time : 1 y

Target Organs : Gastrointestinal tract, Bone, Blood

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Species : Rat NOAEL : 25 mg/kg Application Route : Oral

according to the OSHA Hazard Communication Standard



# Timolol / Dorzolamide Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

Exposure time : 67 Weeks

Species : Dog
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 54 Weeks
Target Organs : Kidney

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Product:** 

Eye contact : Symptoms: The most common side effects are:, bitter taste,

burning or stinging of the eye, Blurred vision, Abdominal pain, Dizziness, digestive disorder, eye pain, Headache, hyperten-

sion, Nausea, upper respiratory tract infection

Components:

Dorzolamide:

Eye contact : Symptoms: burning or stinging of the eye, Blurred vision, tear-

ing, asthenia, bitter taste, Nausea, dry mouth, Headache

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Eye contact : Symptoms: burning or stinging of the eye, dryness of the

eyes, Headache, Nausea, Dizziness, dry mouth, changes in

libido, hair loss, Allergic reactions

Ingestion : Symptoms: Headache, Fatigue, Respiratory disorders, Gas-

trointestinal discomfort, Allergic reactions, Rash, hair loss,

altered mental status, Dizziness, changes in libido

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Components:

Dorzolamide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 699 mg/l

Exposure time: 48 h

Toxicity to microorganisms : EC50 (Natural microorganism): > 800 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

(S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 411 mg/l

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 161 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

EC50 (Photobacterium phosphoreum): > 1,800 mg/l

### Persistence and degradability

### Components:

**Dorzolamide:** 

Biodegradability : Result: not rapidly degradable

Biodegradation: 5 % Exposure time: 28 d

Method: OECD Test Guideline 314

### (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 30 d

Stability in water : Hydrolysis: 0 %(61 d)

Method: FDA 3.09

### Bioaccumulative potential

#### **Components:**

Dorzolamide:

Partition coefficient: n-

log Pow: 0.292

octanol/water

# (S)-3-[3-(tert-butylamino)-2-hydroxypropoxy]-4-morpholino-1,2,5-thiadiazole monomaleate:

Partition coefficient: n-

octanol/water

: log Pow: 1.48

# Mobility in soil

No data available

# Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.10 09/30/2023 28824-00023 Date of first issue: 11/06/2014

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

# Pennsylvania Right To Know

Water 7732-18-5

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

according to the OSHA Hazard Communication Standard



# Timolol / Dorzolamide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023


 8.10
 09/30/2023
 28824-00023
 Date of first issue: 11/06/2014

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

according to the OSHA Hazard Communication Standard



# **Timolol / Dorzolamide Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2023

 8.10
 09/30/2023
 28824-00023
 Date of first issue: 11/06/2014

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8